HIGH-CAPACITY MARINA FORKLIFT



BOAT LIFT EXPERT

- Cummins 6.7L Diesel Engine (Tier 4 Final)
- Dana Transmission
- Operator Presence Sensing System (OPSS)
- ▶ 15,000 55,000 lb. Capacity
- Swing-Style Fork Carriage
- 7" Touch Screen Multi-Function Display



TOYOTA HIGH-CAPACITY MARINA FORKLIFT ADVANTAGES

CUMMINS 6.7L, 6-CYLINDER DIESEL ENGINE

powers the heaviest applications while meeting tough emission standards.

► AXLETECH HEAVY-DUTY FRONT AXLE with wet brakes provides maximum durability.

EXCELLENT VISIBILITY from the operator's position in all directions.

TOYOTA



SPECIALLY DESIGNED MAST with negative

lift to pull boats out at dock level.

SWING-STYLE FORK CARRIAGE features

dependent and independent fork control for precise load handling.

GALVANIZED MARINA FORKS

feature a rubber fork covering to prevent marring of hulls.

ELECTRONIC JOYSTICK CONTROLS

feature highly intuitive and ergonomically designed to increase comfort and productivity.

AIR-RIDE SEAT provides superior operator comfort throughout the entire work shift.

► DANA POWERSHIFT TRANSMISSION with 3 forward and 3 reverse speeds.

MD4 7" TOUCH-SCREEN DISPLAY

includes customizable performance, advanced diagnostics, and pertinent forklift information right at your fingertips.

TECHNOLOGY TODAY For tomorrow's Demands

SMOOTH CONTROL: ONBOARD OR OFF

We thought outside the box so that you could work outside of your forklift. With our optional wireless remote control feature, situations requiring precise control can be handled safely and efficiently. Forklift functions such as drive, lift/lower, tilt, and fork manipulation can be controlled directly through the remote, allowing for expert control from the appropriate vantage point.

Designed with ergonomics in mind, these controls include a waist strap to reduce operator fatigue allowing for optimal focus on the task at hand. Rechargeable batteries for the remote can also be charged directly on the forklift, helping to ensure longer run-time and less downtime for charging.

BUILT MARINA TOUGH

The Toyota High-Capacity line is synonymous with strength and durability, and the High-Capacity Marina Forklift is no exception. A 100% welded steel chassis with steel cross supports is built to take on the toughest challenges at your boatyard or marina. And our AxleTech planetary drive axle with force-cooled wet disc brakes is designed for maximum durability in high-capacity applications. Even the paint is tough. A three-step paint process provides maximum corrosion protection perfectly suited for wet marina applications.

AMENITIES COME STANDARD

Advanced ergonomics and intuitive design keep you comfortable and productive throughout your entire shift. Your voyage in the High-Capacity Marina Forklift begins with a premium air-ride seat, a two-stage wide-view mast, and a low-profile counterweight for superior visibility. You'll also be equipped with electronic joystick controls engineered with optimal placement and ease of use for smooth operation. These are just a few of the creature comforts that come standard when you embark with the High-Capacity-Marina Forklift.

PERFORMANCE THAT KEEPS UP WITH THE CHANGING TIDES

We know you're handling precious cargo. That's why Toyota's High-Capacity Marina Forklifts come standard with what you'll need to ensure superior performance and reliability. A high-performance 6.7L Cummins diesel engine delivers exceptional power and efficiency while also meeting today's stringent emissions regulations. The Dana TE-14 Series Transmission is designed to provide higher input capability and reduced maintenance. This powerful combination ensures you're set for maximum heavy-duty productivity with minimal downtime.



MD4 Display - High-Capacity Marina Forklift

MD4 7" TOUCH SCREEN DISPLAY

Making a forklift that can work for you is what Toyota does every day. Building a forklift that works with you is another story – your story. Toyota's MD4 touch-screen, multi-function display puts the latest technological advancements right at your fingertips to help you get your job done.

With the MD4 display's built-in estimated rack height calculator, you'll have quick access to your forklift's lifting capabilities based on both boat size and drive style. Need a customized preoperational checklist? Upon request, the MD4 display can come pre-programmed to fit your specific needs. User-access control is also available through a pin code entry system which limits use of the forklift to designated operators, reducing the likelihood of use by unauthorized personnel.


Hydraulic schematics, wiring diagrams, and fuse/relay diagnostics are available directly through the MD4 display, making diagnosing technical issues easier than ever before. That's important because every minute of uptime translates to productivity and revenue.




CAPACITY 15000 - 55000 LBS.	WHEELBASE 94 - 170 IN.	LOAD CENTER 96 IN.							
NDUSTRIES Marina	Government / Boat Municipality Manufa	acturing							
STANDARD FEATURES									
• Electrical horn • Asbestos free components	 Spring-applied/hydraulic release parking brake 	 Operator Restraint System seat Operator Presence Sensing System (OPSS) 							
PERFORMANCECummins Tier 4 Final 6.7L Diesel EngineDana TE-14 Series Transmission- 3FWD/3REV gears- Dedicated cooling system- 12 plate modulationDeclutch control pedalSwing-style fork carriage (independentand dependent)Interactive CAN-bus vehiclemanagement system	 Electronic engine diagnostics with fault code history Bolted open core radiator with high-capacity cooling system External sump tank provides additional cooling 100 amp alternator with built-in regulator 7" touch-screen multi-function display Fuel gauge Hour meter 	 Tachometer Water temperature gauge Estimated rack height calculator Engine oil pressure Parking brake indicator Estimated load weight indicator Service and operator manuals Pre-operation checklist (upon request)¹ Fuse/relay diagnostics 							
DURABILITY Axletech heavy-duty planetary driveaxle rated for durability in high-capacityapplicationsForce-cooled wet disc brakesGalvanized forks and carriage for ultimatecorrosion protectionTwo-part rust-inhibiting polyurethanebase coat and two-part polyurethane topcoat for corrosion protectionRubber fork covering systemAlgae filtration system	 Carriage wear blocks Heavy-duty, isolated drive line mounts Two easily accessible 12V industrial batteries Anti-restart ignition switch Welded steel chassis with heavy-duty cross supports Dual action bolt-on cylinder protected by heavy steel support beams High-impact composite trunions Sealed, tapered roller bearings 	 Forged steer knuckle Oversized steer linkage Stainless steel hydraulic bulkhead fittings (carriage and mast) Stainless steel, corrosion resistant rods, ends, and pins on swing cylinders Lubricated mast rollers Long life, corrosion resistant wear pads Rubber fork covering system 							
RGONOMICS Electronic joystick controls Air-ride seat Low-profile counterweight Tilt steering column Left hand shift lever on steering column Two-stage, wide-view mast	 Low-height, non-skid steps with operator handrails Splash guard in front of operator platform Rear collision sensor w/ visual and audible warning Overhead mounted tilt cylinders 	 Lift circuit accumulator LED headlights Rear LED work lights Rear LED combo lights 							
SERVICEABILITY • Lubricated, sealed, and greasable main rollers on each side of the mast • O-ring face seal fittings on entire system to prevent oil leaks • Tilt-lock valve with counterbalance to	 Large, bolt-on fuel and hydraulic tanks Easy-access filters Low chassis side plates provide easy drive train access Hydraulic multi-gauge 	 Wet disc brakes serviceable through wheel ends Easy-access lubrication points 							

- Tilt-lock valve with counterbalance to prevent mast drift
- Hydraulic multi-gauge
- Integrated lift points
- 1 Consult your local, authorized Toyota dealer for customization options and pricing.

CAPACITY LIST



				CAPACITY (LBS.) @ 96 IN.*				
MODEL	OPTION	CAPACITY (LBS.) @ 96 IN.	WHEELBASE (IN.)	18 FT.	25 FT.	32 FT.	36 FT.	45 FT.
THD3000-24	M150	15000	115"	15000	9000	5500	4000	1250
THD3000-24	M180	18000	115"	18000	11500	7500	5750	2500
THD3600S-24	M200	20000	115"	20000	13500	9500	7500	4000
THD3600-48	M200	20000	136"	20000	13500	9500	7500	4000
THD3600S-24	M220	22000	115"	22000	15000	10500	8500	5000
THD3600-48	M220	22000	136"	22000	15000	10500	8500	5000
THD3600S-24	M240	24000	115"	24000	15750	11500	9500	5500
THD3600-24	M250	25000	136"	25000	16500	12250	10000	6000
THD4000-48	M270	27000	148"	27000	19000	13750	11750	8250
THD4000-48	M300	30000	148"	30000	22000	16000	13750	10250
THD4000-48	M350	35000	148"	35000	25250	17750	15250	12000
THD4000-48	M420	42000	148"	42000	27000	19000	16500	13000
THD4000-48	M440	44000	148"	44000	30000	20250	17500	14000
THD4000-48	M520S	52000	148"	52000	41500	28750	23250	16750
THD7200-48	M520	52000	174"	52000	41500	28750	23250	16750
THD7200-48	M550	55000	174"	55000	44250	31500	25500	18500





OO722MARINACB 2021 Toyota Material Handling, Inc.